



CITY OF LA CAÑADA FLINTRIDGE  
BUILDING AND SAFETY DIVISION

STATEMENT TO BE SIGNED BY OWNER PRIOR TO ISSUANCE  
OF SWIMMING POOL PERMIT

Water drained from swimming pools must not encroach on abutting property. The following are legal methods of swimming pool waste water disposal:

1. To a sanitary sewer through a three (3) inch P-trap legally installed under permit from the Building and Safety Division of the Department of Community Development. This applies only to property which is connected to a public sewer. Swimming pool waste water shall not be discharged to a private sewage disposal system.
2. On the property if the property is large enough to insure that runoff will not encroach on abutting property or by the use of a dry-well,
3. Removal of pool contents by tank truck or pumping service.
4. To a storm drain system provided the following requirements are met:
  - 1) A permit to connect to the County maintained storm drain system shall be obtained from Construction Division, Permits and Subdivisions Section [(626)458-3129].
  - 2) Pool Water shall be properly dechlorinated before it can be discharged into a storm drain system. An acceptable method to dechlorinate pool water is to allow it to stand with no additional chlorine added for five days.
  - 3) No swimming pool filter backwash shall be discharged to the storm drain.

This is to certify that I have read and understand the foregoing and agree to pass this information sheet on to the next subsequent owner.

\_\_\_\_\_  
Owner's Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Subsequent Owner's  
Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Subsequent Owner's  
Signature

\_\_\_\_\_  
Date